



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/697,142

10/30/2003

Charles P. Semba

P1989R1

9767

9157

7590

03/13/2007

GENENTECH, INC.

1 DNA WAY

SOUTH SAN FRANCISCO, CA 94080

EXAMINER

UNDERDAHL, THANE E

ART UNIT

PAPER NUMBER

1651

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

03/13/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/697,142

Applicant(s)

SEMBA, CHARLES P.

Examiner

Thane Underdahl

Art Unit

1651

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 29 January 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) 8-26 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>9/26/06 and 2/11/04</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of Group I claims 1-7 in the reply filed on 1/29/07 is acknowledged. The requirement for the election of species is withdrawn.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sandbaek et al. (Blood Coagulation and Fibrinolysis, 1999) as supported by DrugBank (def "Tenecteplase") in view of Graney et al. (Australian Patent AU-B-42810, published 1992).

These claims are drawn to a composition containing about 0.01 to 0.05 mg/mL of tenecteplase in sterile water or bacteriostatic water and normal saline. Claims 2-5 further limit the range of the highest concentration of tenecteplase in solution to about 0.04 mg/mL, 0.03 mg/mL, 0.02 mg/mL, 0.015 respectively. Claim 6 further limits the tenecteplase be in sterile water. Claim 7 limits the composition of claim 1 further comprises a catheter.

Art Unit: 1651

Sandbaek et al. teach a concentration of alteplase in saline at a final concentration of 0.02 mg/mL and is administered by a catheter (page 88, col 1, "Intra-arterial thrombolysis"). Alteplase is a synonym for tenecteplase as supported by DrugBank. Sandbaek et al. does not teach the limitation of claim 5 that the concentration of tenecteplase is about 0.01 to 0.015. However, the M.P.E.P. § 2145.05 state:

"a *prima facie* case of obviousness exists where the claimed ranges and prior art ranges do not overlap but are close enough that one skilled in the art would have expected them to have the same properties."

Also while the Sandbaek et al. above teaches the components of the composition of claim 1 they do not teach the concentration limited by claim 5. However, M.P.E.P. § 2144.05 II states:

Generally, differences in concentration or temperature will not support the patentability of subject matter encompassed by the prior art unless there is evidence indicating such concentration or temperature is critical.

Absent any teaching of criticality by the applicant concerning the concentration of tenecteplase listed in claim 5 for the composition of claim 1, it would be *prima facie* obvious that one of ordinary skill in the art would recognize that the amounts listed in claim 5 are result effective variables whose ratio and concentration are a matter of routine optimization.

Also while Sandbaek et al. teach their composition in saline, they do not provide the details on the composition of the saline and thus do not anticipate the limitation of sterile water for injection or bacteriostatic water for injection and normal saline. This is taught by Graney et al.

Art Unit: 1651

Graney et al. teach that tenecteplase (called the synonym tPA or tissue plasminogen activator or alteplase by Graney, page 7, lines 1-2) can be included in compositions where the solvent carrier is sterile water (page 7, line 8) or distilled water, Ringer's solution as well as saline and other conventional carriers (page 8, lines 19 and 20). Therefore Graney et al. teach that saline as well as sterile water for injection and other conventional pharmaceutical carriers can be used interchangeably to dissolve and administer tenecteplase and are therefore art recognized equivalents for the same purpose and it would be obvious for one of ordinary skill in the art to substitute saline from sterile water for injection (M.P.E.P. § 2144.06).

Therefore, the invention as a whole would have been prima facie obvious at the time of filing in view of the references listed above and as such claims 1-7 are not allowable.

In summary no claims, as written, are allowed for this application.

In response to this office action the applicant should specifically point out the support for any amendments made to the disclosure, including the claims (MPEP 714.02 and 2163.06). Due to the procedure outlined in MPEP § 2163.06 for interpreting claims, it is noted that other art may be applicable under 35 U.S.C. § 102 or 35 U.S.C. § 103(a) once the aforementioned issue(s) is/are addressed.

Applicant is requested to provide a list of all copending U.S. applications that set forth similar subject matter to the present claims. A copy of such copending claims is requested in response to this Office action.

CONTACT INFORMATION


Art Unit: 1651

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thane Underdahl whose telephone number is (571) 272-9042. The examiner can normally be reached during regular business hours, 8:00 to 17:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached at (571) 272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thane Underdahl
Art Unit 1651



Leon B. Lankford Jr.
Primary Examiner
Art Unit 1651